

# XS115H

SINGLE DRUM VIBRATORY ROLLER



<b>ENGINE POWER</b>	-	99 kW
<b>OPERATING WEIGHT</b>	-	11200 kg
<b>VIBRATION FREQUENCY</b>	-	30/35 Hz
<b>NOMINAL AMPLITUDE</b>	-	2.0/1.0 mm

# XS115H

SINGLE DRUM VIBRATORY ROLLER



## PERFORMANCE AND CHARACTERISTICS

- 1x1m front and rear visibility, significantly improve the operation convenience and compaction quality.
- Cylinder-type four-support ensures long-life drum.
- Centered static and dynamic forces for state-of-the-art compaction.
- The infinitely variable speed function guarantees optimum work speed under diversified working conditions.

# SPECIFICATION

# XS115H

## ENGINE

Engine Make	Weichai
Model	WP4.6NG135E501
Emission	Bharat Stage IV
Rated Power	132.7 HP
Rated Speed	2250 r/min

## MANEUVERABILITY

Working speed (F/R)	6.5/11.5 km/h
Gradeability	31%
Minimum turning radius (outer)	5980 mm
Minimum Ground clearance	393.5
Wheel base	2890 mm
Steering angle	33 °
Oscillation angle	10 °

## TIRE

Spec	23.1-26-12G23TL
Ply rating	12
Air pressure	200 kPa

## WEIGHTS

Operating weight	11200 kg
Maximum Operating Weight	11500 kg
Front axle weight	6200 kg
Rear axle weight	5000 kg
Static linear load	291 N/cm

## COMPACTION


Vibration frequency	30/35 Hz
Nominal amplitude	2.0/1.0 mm
Excitation force (high/low frequency)	285/160 kN
Drum diameter	1523 mm
Drum width	2130 mm

## CAPACITIES

Fuel tank	255 L
Urea tank	30 L

## MAIN DIMENSIONS

Model	L	L1	W	W1	H	H1	S	D
XS115H	5881 mm	2890 mm	2300 mm	2130 mm	3043 mm	393.5 mm	30 mm	1523 mm



# LARGEST NETWORK



## SCHWING STETTER (INDIA) PRIVATE LIMITED

F71/72 SIPCOT Industrial Estate, Irungattukottai, Kanchipuram District - 602117, Tamil Nadu, India.  
GIN No. U45309TN1998PTC046270

Mobile: +91 9176606120; Landline: +91 (44) 71378106

enquiry@schwingstetterindia.com

www.schwingstetterindia.com

## AUTHORISED DEALER



Note: This catalogue may contain attachments and optional equipment that may not available in your area and it may contain photographs of machines with specifications that may differ from those of the machines sold in your territory. Please consult your nearest Schwing Stetter - XCMG dealer for any information on those items you require. Due to our policy decision on continuous product improvements, all designs and specifications are subject to modifications without permission.

Copyright by Schwing Stetter India Pvt Ltd; No part of this catalogue shall be reproduced anywhere in whatsoever format without consent by SSIPL.